



575-6^D

447
Quickerknit
MATINEE
COATS

*for the first
six months*

Patons Quickerknit
Baby Wool or
Patons Brillante
Quickerknit Baby



THREE QUICKERKNIT COATS IN CONTRASTING STYLES

With a Sun Ray Yoke

MATERIALS

3 oz. PATONS QUICKERKNIT Baby Wool, Patonised, or
4 oz. PATONS BRILLIANTE QUICKERKNIT BABY, 100% Bri-Nylon.
Two No. 9 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge.
Two buttons.

MEASUREMENTS

To fit 17-19 inch chest. Length at centre back, 9½ ins. Sleeve seam, 4½ ins.

TENSION

6½ sts. and 8½ rows to one square inch on No. 9 needles, measured over stocking stitch. See below for how to check your Tension, and Abbreviations.

Commencing at neck edge and using the two needle method, cast on 47 sts.

1st row—K. 2nd row—P.

3rd row—K.1, * w.fwd., K.2 tog., rep. from * to end. 4th row—P.

5th and 6th rows—As 1st and 2nd.

7th row—Make hem by knitting tog. one st. from needle and one loop from cast-on edge all across row.

8th row—K.6, (inc. in next st., K.2) 12 times, K.5 (59 sts.).

Work lace Yoke with garter stitch borders as follows:—

1st row (on which buttonhole is worked)—K.8, * w.fwd., K.1, w.fwd., K.5, rep. from * to last 9 sts., w.fwd., K.1, w.fwd., K.5, w.fwd., K.2 tog., K.1.

2nd and every alt. row—K.5, P. to last 5 sts., K.5.

3rd row—K.9, * w.fwd., K.1, w.fwd., K.7, rep. from * to last 10 sts., w.fwd., K.1, w.fwd., K.9.

5th row—K.10, * w.fwd., K.1, w.fwd., K.9, rep. from * to last 11 sts., w.fwd., K.1, w.fwd., K.10.

7th row—K.11, * w.fwd., K.1, w.fwd., K.11, rep. from * to end.

9th row—K.5, K.2 tog., * K.5, w.fwd., K.1, w.fwd., K.5, sl.1, K.2 tog., p.s.s.o., rep. from * to last 18 sts., K.5, w.fwd., K.1, w.fwd., K.5, K.2 tog.t.b.l., K.5.

11th row—K.12, * w.fwd., K.1, w.fwd., K.13, rep. from * to last 13 sts., w.fwd., K.1, w.fwd., K.12 (139 sts.).

13th row—K.5, K.2 tog., * K.6, w.fwd., K.1, w.fwd., K.6, sl.1, K.2 tog., p.s.s.o., rep. from * to last 20 sts., K.6, w.fwd., K.1, w.fwd., K.6, K.2 tog.t.b.l., K.5.

15th row—K.13, * w.fwd., K.1, w.fwd., K.15, rep. from * to last 14 sts., w.fwd., K.1, w.fwd., K.13.

17th row—K.5, K.2 tog., * K.5, w.fwd., K.2 tog., w.fwd., K.1, w.fwd., K.2 tog.t.b.l., w.fwd., K.5, sl.1, K.2 tog., p.s.s.o., rep. from * to last 22 sts., K.5, w.fwd., K.2 tog.

Please read this first

ABBREVIATIONS

K.=knit; P.=purl; st.=stitch; sl.=slip; w.fwd.=wool forward; w.ft.=wool front—bring wool to front of needle; w.r.n.=wool round needle; p.s.s.o.=pass slip stitch over; tog.=together; t.b.l.=through back of loops; inc.=increase by working into front and back of stitch; dec.=decrease by working 2 sts. together; beg.=beginning; alt.=alternate; rep.=repeat; patt.=pattern; incl.=inclusive; ins.=inches; M.R.=Make ridge by working across next 2 sts. as follows:—P. the next 2 sts. together but do not slip off left-hand needle, P. into the first of these sts. once more, then slip both sts. off needle.

HOW TO CHECK YOUR TENSION

Before you knit these designs check your tension carefully. Take a pair of No. 9 needles, cast on 13 stitches and work in stocking stitch—1 row knit; 1 row purl—for 17 rows. Cast off; press very lightly on wrong side. The tension should be 6½ stitches and 8½ rows to one square inch and the knitted square should measure 2 inches each way. If the square is bigger your work is too loose; try a size finer needle. If it is smaller your work is too tight; try a size coarser needle. If you knit to the correct tension in stocking stitch, you will knit naturally to the correct tension for any stitch in this booklet. If you alter the needles to obtain the correct tension in stocking stitch, corresponding alterations must be made to the needles throughout.

w.fwd., K.1, w.fwd., K.2 tog.t.b.l., w.fwd., K.5, K.2 tog.t.b.l., K.5.

19th row—* K.11, w.fwd., K.2 tog., w.fwd., K.3, w.fwd., K.2 tog.t.b.l., w.fwd., rep. from * to last 11 sts., K.11.

21st row—K.5, K.2 tog., * K.4, w.fwd., K.2 tog., w.fwd., K.5, w.fwd., K.2 tog.t.b.l., w.fwd., K.4, sl.1, K.2 tog., p.s.s.o., rep. from * to last 24 sts., K.4, w.fwd., K.2 tog., w.fwd., K.5, w.fwd., K.2 tog.t.b.l., w.fwd., K.4, K.2 tog.t.b.l., K.2, w.fwd., K.2 tog., K.1.

23rd row—K.10, * w.fwd., K.2 tog., w.fwd., K.7, w.fwd., K.2 tog.t.b.l., w.fwd., K.9, rep. from * to last st., K.1.

25th row—K.6, * w.fwd., K.5, (w.fwd., K.2 tog.t.b.l.) twice, K.3, (K.2 tog., w.fwd.) twice, K.5, w.fwd., K.1, rep. from * to last 5 sts., K.5.

27th row—K.7, * w.fwd., K.2 tog.t.b.l., K.4, (w.fwd., K.2 tog.t.b.l.) twice, K.1, (K.2 tog., w.fwd.) twice, K.4, K.2 tog., w.fwd., K.3, rep. from * to last 4 sts., K.4.

29th row—K.5, K.2 tog., w.fwd., * K.7, w.fwd., K.2 tog.t.b.l., w.fwd., sl.1, K.2 tog., p.s.s.o., w.fwd., K.2 tog., w.fwd., K.7, w.fwd., sl.1, K.2 tog., p.s.s.o., w.fwd., rep. from * to last 28 sts., K.7, w.fwd., K.2 tog.t.b.l., w.fwd., sl.1, K.2 tog., p.s.s.o.,

w.fwd., K.2 tog., w.fwd., K.7, w.fwd., K.2 tog.t.b.l., K.5.

31st row—K.6, * w.fwd., K.9, w.fwd., K.2 tog.t.b.l., K.1, K.2 tog., w.fwd., K.9, w.fwd., K.1, rep. from * to last 5 sts., K.5 (219 sts.).

33rd row—* K.17 w.fwd., sl.1, K.2 tog., p.s.s.o., w.fwd., K.6, rep. from * to last 11 sts., K.11.

34th row—K.5, P. to last 5 sts., K.5.

Keeping 5 sts. at each end of needle in garter stitch work 4 rows in stocking stitch.

Work Left Front as follows:—

Next row—K.36, turn.

Next row—K.1, P. to last 5 sts., K.5.

*** Keeping garter st. border correct, continue on this group of sts., inc. 1 st. at side edge on 5th row following and every following 6th row until there are 41 sts.

Work 4 rows. Work hem as follows:—

1st row—K. (thus making a ridge).

2nd row—K. 3rd row—P.

4th and 5th rows—As 2nd and 3rd.

6th row—K.1, * w.fwd., K.2 tog., rep. from * to end.

7th row—P. 8th row—K. Cast off.

** Rejoin wool to sts. on needle and work Sleeve as follows:— *continued on page 8*

Raglan with V Neck

MATERIALS

3 oz. PATONS QUICKERKNIT Baby Wool, Patonised, or PATONS BRILLIANTE QUICKERKNIT Baby, 100% Bri-Nylon. Two No. 9 BEEHIVE or QUEEN BEE needles and one spare No. 9 needle, measured by BEEHIVE gauge. Two stitch-holders. Three buttons.

MEASUREMENTS

To fit 18 inch chest. Length at centre back (excluding neckband) 9½ ins. Sleeve seam, 5 ins.

TENSION

6½ sts. and 8½ rows to one square inch on No. 9 needles, measured over stocking stitch. See page 2 for how to check your Tension, and Abbreviations.

BACK

Cast on 67 sts.

Work 6 rows in moss stitch (every row * K.1, P.1, rep. from * to last st., K.1).

Work border as follows:—

1st row—(K.1, P.1) twice, K. to last 4 sts., (P.1, K.1) twice.

2nd and alt. rows—(K.1, P.1) twice, K.1, P. to last 5 sts., (K.1, P.1) twice, K.1.

3rd row—(K.1, P.1) twice, K.4, * P.3, K.3, rep. from * to last 5 sts., (K.1, P.1) twice, K.1.

5th row—(K.1, P.1) twice, K.4, * w.fwd., sl.1, K.2 tog., p.s.s.o., w.fwd., K.3, rep. from * to last 5 sts., (K.1, P.1) twice, K.1.

7th, 9th and 11th rows—As 5th row.

13th row—As 3rd row.

15th row—P.5, K. to last 5 sts., P.5.

16th row—K.1, P. to last st., K.1.

17th row—K.1, K.2 tog., K. to last 3 sts., K.2 tog., K.1.

18th row—As 16th row.

Continue in stocking stitch, dec. 1 st. at both ends of 3rd row following and every following 4th row until 57 sts. remain.

Work 5 rows.

Shape armholes as follows:—

*** 1st row—Cast off 2 sts., K. to end.

2nd row—Cast off 2 sts., P. to last st., slip last st. on to a stitch-holder.

3rd row—K. to last st., slip last st. on to second stitch-holder.

4th row—P. to last st., slip last st. on to first stitch-holder.



Work 3rd and 4th rows 16 times more ***. Next row—Cast off 17 sts., slip last st. on to stitch-holder.

Slip groups of 18 sts. off stitch-holders on to lengths of wool.

RIGHT FRONT

Cast on 37 sts.

Work as Back until 13th row of border has been worked.

14th row—As 2nd row.

15th row—(K.1, P.1) twice, K. to last 5 sts., P.5.

16th row—K.1, P. to last 5 sts., (K.1, P.1) twice, K.1.

Keeping 5 sts. in moss stitch at front edge correct and remaining sts. in stocking stitch, dec. 1 st. at side edge on next and following 4th row. Work 1 row.

Next row (on which a buttonhole is worked)—K.1, P.1, w.r.n., P.2 tog., K. to end.

Continue as before dec. 1 st. at side edge on 2nd row following and every following 4th row until 31 sts. remain, at the same time working a buttonhole on 10th row from previous buttonhole.

Work 2 rows without shaping, thus finishing at side edge.

Shape raglan armhole as follows:—

1st row—Cast off 2 sts., P. to last 5 sts., moss stitch 5.

2nd row—(K.1, P.1) twice, K. to last st., slip last st. on to a stitch-holder.

3rd row—P. to last 5 sts., moss stitch 5.

4th row—K.1, P.1, w.r.n., P.2 tog., K. to last st., slip last st. on to a stitch-holder.

5th row—As 3rd row.

6th row—(K.1, P.1) twice, K.1, K.2 tog. t.b.l., K. to last st., slip last st. on to stitch-holder.

** Continue slipping last st. of every alt. row on to stitch-holder, at the same time dec. 1 st. inside 5 moss stitch border on every 6th row from previous dec. until 7 sts. remain (5 dec. in all having been worked at front slope). Work 1 row.**

Next row—(K.1, P.1) twice, K.2 tog., slip remaining st. on to stitch-holder.

Next row—(K.1, P.1) twice, K.1.

Leaving $3\frac{1}{4}$ yards of wool hanging to complete band, break off wool, slip sts. on to a safety pin.

Slip sts. from stitch-holder on to a length of wool.

LEFT FRONT

Cast on 37 sts.

Work as Back until 13th row of border has been worked.

14th row—As 2nd row.

15th row—P.5, K. to last 4 sts., (P.1, K.1) twice.

16th row—(K.1, P.1) twice, K.1, P. to last st., K.1.

Keeping moss stitch border correct, dec. 1 st. at side edge on next and every following 4th row until 31 sts. remain.

Work 1 row.

Shape raglan armhole as follows:—

1st row—Cast off 2 sts., K. to last 4 sts., (P.1, K.1) twice.

2nd row—Moss stitch 5, P. to last st., slip last st. on to a stitch-holder.

3rd row—K. to last 4 sts., (P.1, K.1) twice.

4th and 5th rows—As 2nd and 3rd.

6th row—As 2nd row.

7th row—K. to last 7 sts., K.2 tog., (K.1, P.1) twice, K.1.

8th row—As 2nd row.

Work as Right Front from ** to **.

Next row—(K.1, P.1) 3 times, slip last st. on to stitch-holder.

Next row—K.2 tog., (P.1, K.1) twice.

Leaving $3\frac{1}{4}$ yards of wool hanging, break off wool, slip sts. on to a safety pin.

Slip sts. from stitch-holder on to a length of wool.

SLEEVES

Cast on 27 sts.

Work 10 rows in moss stitch.

Next row—K.3, (inc. in next st., K.2) 8 times (35 sts.).

Next row—K.1, P. to last st., K.1.

Continue in stocking stitch inc. 1 st. in first st. and last st. but one on 3rd and every following 6th row until there are 45 sts.

Continue on these sts. until work measures 5 ins. from beg., finishing at end of a P. row. Work as Back from *** to *** (6 sts.). Cast off 5 sts. slip last st. on to a stitch-holder. Slip sts. from stitch-holders on to lengths of wool.

LACED JOININGS


Slip 18 sts. from length of wool on Right Front on to a needle, point facing 2 cast-off sts.

Slip 18 matching sts. from sleeve edge on to another needle, point facing 2 cast-off sts.

Place these 2 needles side by side points together.

Using spare needle, join edges as follows:—

Slip first st. knitwise from front needle on to spare



continued on page 8



With Yoke in Tunisian Rib

and a little collar too

MATERIALS

4 oz. PATONS QUICKERKNIT Baby Wool, Patonised, or PATONS BRILLIANTE QUICKERKNIT Baby, 100% Bri-Nylon.

Two No. 9 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Two buttons.

You must use Quickerknit to be sure of a successful result.

MEASUREMENTS

To fit 17-19 inch chest. Length, 10½ ins. Sleeve seam, 5 ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION

6½ sts. and 8½ rows to one square inch on No. 9 needles, measured over stocking stitch. See page 2 for how to check your Tension, and Abbreviations.

Special Note.—*As this patt. is worked on a variable number of sts., the slip st. and made stitch count as 1 st. where all shapings are worked.*

BACK

Cast on 83 sts.

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—* K.1, P.1, rep. from * to last st., K.1. Rep. last 2 rows once, dec. 1 st. at end of last row (82 sts.).

Proceed in all-over patt. as follows:—

1st row—K.

2nd row—K.1, P. to last st., K.1.

3rd row—* K.4, M.R., rep. from * to last 4 sts., K.4.

4th row—As 2nd row.

5th and 6th rows—As 1st and 2nd.

7th row—K.1, * M.R., K.4, rep. from * to last 3 sts., M.R., K.1.

8th row—K.1, P. to last st., K.1.

Work these 8 rows 5 times more, then rows 1 to 6 once.

Keeping all-over patt. correct, shape armholes by casting off 3 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 70 sts. remain.

Work 1 row.

Next row—K.4, (K.2 tog., K.1) 21 times, K.3 (49 sts.).

Proceed in Tunisian rib as follows:—

1st row—K.1, * w.ft., sl.1 purlwise, taking wool over needle K.1 thus making a st., rep. from * to end.

2nd row—K.1, * K.2 tog.t.b.l. (sl. st. and made st. of previous row), K.1, rep. from * to end.

Rep. these 2 rows until work measures 4 ins. from beg. of armhole shaping.

Shape shoulders by casting off 7 sts. at beg. of next 2 rows, 8 sts. at beg. of next 2 rows. Cast off.

RIGHT FRONT

Cast on 51 sts.

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—* K.1, P.1, rep. from * to last st., K.1.

Rep. last 2 rows once.

Proceed in all-over patt. with ribbed border as follows:—

1st row—Sl.1 knitwise, (K.1, P.1) twice, K. to end.

2nd row—K.1, P. to last 6 sts., (P.1, K.1), 3 times.

3rd row—Sl.1, (K.1, P.1) twice, K.1, * M.R., K.4, rep. from * to last 3 sts., M.R., K.1.

4th row—As 2nd row.

5th and 6th rows—As 1st and 2nd.

7th row—Sl.1, (K.1, P.1) twice, K.4, * M.R., K.4, rep. from * to end.

8th row—K.1, P. to last 6 sts., (P.1, K.1) 3 times.

Rep. these 8 rows 5 times, then rows 1-7 incl. once.

**** Shape armhole by casting off 3 sts. at beg. of next row. Dec. 1 st. at armhole edge on next and every alt. row until 45 sts. remain. ****

Work 1 row.

Next row—Sl.1, (K.1, P.1) twice, K.2, (K.2 tog.) 18 times, K.2 (27 sts.).

Next row—K.1, * w.ft., sl.1 purlwise, taking wool over needle K.1 thus making a stitch, rep. from * to last 6 sts., (P.1, K.1) 3 times.

Next row—(on which a buttonhole is commenced)—Sl.1, K.1, P.1, cast off 1, K.2, (there now being 3 sts. on needle after cast off), * K.2 tog.t.b.l. (sl. st. and made st. of previous row), K.1, rep. from * to end.

Next row—K.1, * w.ft., sl.1 purlwise, taking wool over needle K.1, rep. from * to last 5 sts., P.1, K.1, cast on 1, rib 3.

Keeping Tunisian rib and ribbed border correct, work 20 more rows, working a buttonhole as before on 17th and 18th rows. Shape neck by casting off 8 sts. at beg. of next row. Dec. 1 st. at neck edge on every row until 15 sts. remain.

Continue on these sts. until work measures 4 ins. from beg. of armhole shaping, finishing at armhole edge.

Shape shoulder as follows:—

1st row—Cast off 7, work to end.

2nd row—Work all across. Cast off.

LEFT FRONT

Cast on 51 sts.

Work 4 rows in rib as on Right Front.

Proceed in all-over patt. with ribbed border as follows:—

1st row—K. to last 5 sts., (P.1, K.1) twice, K.1.

2nd row—Sl.1 knitwise, (P.1, K.1) twice, P. to last st., K.1.

3rd row—K.1, * M.R., K.4, rep. from * to last 8 sts., M.R., (K.1, P.1) twice, K.2.

4th row—As 2nd row.

5th and 6th rows—As 1st and 2nd.

7th row—* K.4, M.R., rep. from * to last 9 sts., K.4, (P.1, K.1) twice, K.1.

8th row—Sl.1, (P.1, K.1) twice, P. to last st., K.1.

Work these 8 rows 5 times more, then rows 1 to 6 incl. once.

Work as Right Front from ** to **.

Work 2 rows.

Next row—K.2, (K.2 tog.) 18 times, K.1, (K.1, P.1) twice, K.2 (27 sts.).

Next row—Sl.1, (P.1, K.1) twice, P.1, K.1, * w.ft., sl.1 purlwise, taking wool over needle K.1, thus making a st., rep. from * to end.

Next row—K.1, * K.2 tog.t.b.l., K.1, rep. from * to last 6 sts., (K.1, P.1) twice, K.2. Omitting buttonholes, complete to match Right Front, reversing all shapings.

SLEEVES

Cast on 30 sts.

Work 11 rows in K.1, P.1 rib.

Next row—Rib 4, (inc. in next st., rib 6) 3 times, inc. in next st., rib to end (34 sts.).

Work rows 1 to 8 incl. of all-over patt. as on Back.

Continue in all-over patt. inc. 1 st. in first st. and last st. but one on next and every following 6th row until there are 42 sts.

Continue on these sts. until work measures 5 ins. from beg., finishing at end of a P. row.

Shape top by casting off 2 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 22 sts. remain, every row until 14 sts. remain. Cast off.

COLLAR

Cast on 73 sts.

1st row—K.1, K.2 tog.t.b.l., * P.1, K.1, rep. from * to last 4 sts., P.1, K.2 tog., K.1.

2nd row—* K.1, P.1, rep. from * to last st., K.1.

3rd row—K.1, K.2 tog.t.b.l., * K.1, P.1, rep. from * to last 4 sts., K.1, K.2 tog., K.1.

4th row—K.1, P.2, * K.1, P.1, rep. from * to last 2 sts., P.1, K.1.

Rep. these 4 rows twice (61 sts.).

Cast off 6 sts. at beg. of next 4 rows. Cast off.

continued from page 5

needle, slip first st. purlwise from back needle on to spare needle, slip the second stitch on spare needle over the first, thus casting off 1 st., slip first stitch from front needle on to spare needle, cast off 1 st.

Continue in this manner working 1 st. from alternate needles until 1 st. remains at neck edge. Slip this stitch on to a safety pin. Join remaining edges in same manner.

COMPLETION OF BANDS

Right Band

Slip 5 sts. of moss stitch border of Right Front onto a needle, point facing outside edge.

1st row—(K.1, P.1) twice, knit together the last st. and the one st. from laced joining through back of stitches.

Work 11 rows in moss stitch.

continued from page 3

1st row—K. 41, turn.

2nd row—K.1, P. to last st., K.1.

Continuing in stocking stitch on these 41 sts. until work measures $3\frac{1}{2}$ ins. from where work was divided, finishing at end of a P. row.

Next row—(K.1, K.2 tog.) 13 times, K.2 tog. (27 sts.). Work 4 rows in stocking stitch.

Work rows 1 to 8 incl. of hem as on Left Front. Cast off.**

Rejoin wool to sts. on needle and work Back as follows:—

Next row—K.65, turn.

Next row—K.1, P. to last st., K.1.

Continue in stocking stitch, inc. 1 st. at both ends of 5th row following and every following 6th row until there are 75 sts.

TO MAKE UP

Taking care not to stretch Yoke, with wrong side of work facing, block each piece by pinning out round edges. Press each piece very lightly using a warm iron and a damp cloth. Using a back-stitch seam join shoulders. Using a flat seam join side and Sleeve seams and stitch Sleeves into position. Stitch Collar into position, placing ends 2 sts. from edge of Fronts. Attach buttons. Press seams.

Next row—As 1st row.

Work 11 rows in moss stitch. Cast off.

Left Band

Slip 5 sts. on to a needle, point facing outside edge.

1st row—(K.1, P.1) twice, knit together the last st. and the one st. from laced joining. Complete to match Right Band.

TO MAKE UP

With wrong side facing block fabric by pinning out round edges. Press very lightly using a warm iron and damp cloth. Leaving moss stitch portions at side edge free, using a flat seam, join side and sleeve seams, and cast-off sts. at under-arm. Stitch bands into position and join at centre back. Attach buttons. Press seams.

Work 4 rows.

Work rows 1 to 8 incl. of hem as on Left Front. Cast off. Work from ** to **.

Rejoin wool to remaining 36 sts. and work Right Front as follows:—

1st row—K.36.

2nd row—K.5, P. to last st., K.1.

Complete to match Left Front, working from *** to end.

TO MAKE UP

Taking care not to stretch Yoke, block and lightly press. Using a flat seam join side and sleeve seams. Fold over hem at row of holes on Sleeve and lower edges, and stitch down cast-off edge on wrong side. Attach buttons. Press seams.

*Please address knitting enquiries concerning this booklet to
Mrs. Sarah Bell, Patons & Baldwins Limited, Great West Road, Brentford, Middlesex
Prices apply only in Great Britain and Northern Ireland*

PUBLISHED BY PATONS & BALDWIN'S LIMITED

Made and Printed in Great Britain by Percy Lund, Humphries & Co. Ltd. Bradford and London. 35258